




Particle Physics in a Season of Change

Chris Quigg

Fermi National Accelerator Laboratory



ETH · Zürich · 23 January 2014

Large Hadron Collider


CMS

LHCb

ALICE

ATLAS

Very-High-Rate Experiments




The Allure of Ultrasensitive Experiments
Fermilab Academic Lectures

Before LHC

Two New Laws of Nature +

Pointlike ($r \leq 10^{-18}$ m) *quarks* and *leptons*



Interactions: $SU(3)_c \otimes SU(2)_L \otimes U(1)_Y$ gauge symmetries

Quantum Chromodynamics

Asymptotically free theory


Many successes in perturbation theory to 1 TeV

Growing understanding: nonperturbative regime


Quarks & gluons confined: evidence, no proof

No structural defects, but *strong CP problem*

Evolution of the strong coupling “constant”




Jet Production



The World's Most Powerful Microscopes


nanonanophysics



Transverse momenta: 1.8 TeV + 1.8 TeV · Dijet mass: 4 TeV


Rutherford scattering test for quark compositeness

$$\frac{d\sigma}{d\cos\theta^*} \propto \frac{1}{\sin^4(\theta^*/2)} \rightsquigarrow \frac{d\sigma}{d\chi} \propto \frac{1}{\chi^2}$$




$$\chi \equiv \frac{1 + \cos \theta^*}{1 - \cos \theta^*}$$

Hadron masses from (2+1)-flavor LQCD





sum of parts



rest energy


Nucleon mass: exemplar of $m = E_0/c^2$

up and down quarks contribute few %

$$3 \frac{m_u + m_d}{2} = 10 \pm 2 \text{ MeV}$$

χ PT: $M_N \rightarrow 870 \text{ MeV}$ for massless quarks

Lattice QCD: quark-confinement origin of nucleon mass
has explained nearly all visible mass in the Universe



(Quark masses ensure $M_p < M_n$)

NGC 1365 · DES

QCD could be complete, up to M_{Planck}

... but that doesn't prove it must be

Prepare for surprises!

How might QCD Crack?

(Breakdown of factorization)

Free quarks / unconfined color

New kinds of colored matter

Quark compositeness

Larger color symmetry containing QCD

New phenomena within QCD?

Multiple production beyond diffraction + short-range order?

High density of few-GeV partons ... thermalization?

Long-range correlations in y ?


Unusual event structures ...

Look at events in informative coordinates.

More is to be learned from the river of events
than from a few specimens!

Correlations among the partons?


A proton knows it is a proton.
Single-spin asymmetries imply correlations.
What else?



Can we distinguish different configurations?
Interplay with multiple-parton interactions?

Bjorken (2010)

Electroweak Symmetry Breaking



Interactions: $SU(3)_c \otimes SU(2)_L \otimes U(1)_Y$ gauge symmetries $\rightarrow U(1)_{EM}$

Electroweak Theory

To good approximation ...

3-generation V–A


GIM suppresses FCNC

CKM quark-mixing matrix describes CPV


Tested as quantum field theory at per-mille level

Gauge symmetry validated in $e^+e^- \rightarrow W^+W^-$

LEP validated secret $SU(2)_L \otimes U(1)_Y$ symmetry



Electroweak theory anticipates discoveries



A hitherto unknown agent hides electroweak symmetry

- * A force of a new character, based on interactions of an elementary scalar
- * A new gauge force, perhaps acting on undiscovered constituents
- * A residual force that emerges from strong dynamics among electroweak gauge bosons
- * An echo of extra spacetime dimensions

The Importance of the 1-TeV Scale

EW theory does not predict Higgs-boson mass

Thought experiment: *conditional upper bound*


W^+W^- , ZZ , HH , HZ satisfy s-wave unitarity,

provided $M_H \leq (8\pi\sqrt{2}/3G_F)^{1/2} \approx 1 \text{ TeV}$

- If bound is respected, perturbation theory is “everywhere” reliable
- If not, weak interactions among W^\pm , Z , H become strong on 1-TeV scale


New phenomena are to be found around 1 TeV

H couplings to W, Z tested indirectly




BSM: Heavy Higgs allowed, even natural

LHC can search in many channels




$\gamma\gamma, WW^*, ZZ^*, \tau^+\tau^-, b$ pairs, ...

Evolution of ATLAS $\gamma\gamma$ Signal




Evolution of CMS 4-lepton Signal



ATLAS

Signal / Standard Model

CMS

ATLAS $m_H = 125.5 \text{ GeV}$  $\sqrt{s} = 7 \text{ TeV}, L \leq 5.1 \text{ fb}^{-1}$ $\sqrt{s} = 8 \text{ TeV}, L \leq 19.6 \text{ fb}^{-1}$ CMS Preliminary $m_H = 125.7 \text{ GeV}$ $p_{SM} = 0.65$ $H \rightarrow bb$
 $\mu = 1.15 \pm 0.62$ $H \rightarrow \tau\tau$
 $\mu = 1.10 \pm 0.41$ $H \rightarrow \gamma\gamma$
 $\mu = 0.77 \pm 0.27$ $H \rightarrow WW$
 $\mu = 0.68 \pm 0.20$ $H \rightarrow ZZ$
 $\mu = 0.92 \pm 0.28$ Best fit σ/σ_{SM}

Why does discovering the agent matter?



Imagine a world without a symmetry-breaking (Higgs) mechanism at the electroweak scale

Electron and quarks would have no mass
QCD would confine quarks into protons, etc.

Nucleon mass little changed

*Surprise: QCD would hide EW symmetry,
give tiny masses to W, Z*

Massless electron: atoms lose integrity

No atoms means no chemistry, no stable
composite structures like liquids, solids, ...
... no template for life.

[arXiv:0901.3958](#)

Fully accounts for EWSB (W, Z couplings)?

Couples to fermions?

*Top from production,
need direct observation for b, τ*

Accounts for fermion masses?

Fermion couplings \propto masses?

Are there others?

Quantum numbers? ($J^P = 0^+$)

SM branching fractions to gauge bosons?

Decays to new particles?

All production modes as expected?

Implications of $M_H \approx 126$ GeV?

Any sign of new strong dynamics?

Parameters of the Standard Model

3 coupling parameters $\alpha_s, \alpha_{\text{em}}, \sin^2 \theta_W$

2 parameters of the Higgs potential

1 vacuum phase (QCD)

6 quark masses

3 quark mixing angles

1 CP-violating phase

3 charged-lepton masses

3 neutrino masses

3 leptonic mixing angles

1 leptonic CP-violating phase (+ Majorana ...)

26⁺ arbitrary parameters

*Flavor physics may be
where we see, or diagnose,
the break in the SM.*


Puzzle: The Meaning of Identity

*What makes a top quark a top quark,
an electron an electron, a neutrino a neutrino?*

Neutrino oscillations give us another take.

Clue to matter excess in the universe?

Might new kinds of matter unlock the pattern?



Why does the muon weigh?

gauge symmetry allows

$$\zeta_e \left[(\bar{e}_L \Phi) e_R + \bar{e}_R (\Phi^\dagger e_L) \right] \rightsquigarrow m_e = \zeta_e v / \sqrt{2}$$


after SSB

What does the muon weigh?

ζ_e : picked to give right mass, not predicted


fermion mass implies physics beyond the standard model

Charged Fermion Masses




Running mass $m(m) \dots m(U)$

Quark family patterns: generations




Veltman: Higgs boson knows something we don't know!


Neutrino Masses and Mixings



Neutrino Masses




Normal: light solar pair




Inverted: heavy solar pair

Neutrino family patterns



Reactor Neutrino Anomaly?

- Observed/predicted averaged event ratio: $R=0.927\pm0.023$ (3.0σ)



Th. Lasserre – TPC-Paris 2012

Will the fermion masses and mixings reveal symmetries or dynamics or principles?

What is CP violation trying to tell us?


Some questions now seem to us the wrong questions:
Kepler's obsession – Why six planets in those orbits?

Landscape interpretation as environmental parameters

Might still hope to find equivalent of Kepler's Laws!

Does $M_H < 1 \text{ TeV}$ make sense?

The peril of quantum corrections



Puzzle #1: Expect New Physics on TeV scale
to stabilize Higgs mass, solve hierarchy problem,
but no quantitative failures of EW theory

Puzzle #2: Expect New Physics on TeV scale
to stabilize Higgs mass, solve hierarchy problem,
but no sign of flavor-changing neutral currents
Minimal flavor violation a name, not yet an answer


*Great interest in searches for
forbidden or suppressed processes*

Rare Processes: Flavor-changing neutral currents

$$\text{SM: } \text{BR}(\text{B}_s \rightarrow \mu^+ \mu^-) = (3.56 \pm 0.30) \times 10^{-9}$$

$$\text{MSSM: } \text{BR}(\text{B}_s \rightarrow \mu^+ \mu^-) \propto \frac{m_b^2 m_t^2}{M_A^4} \tan^6 \beta$$

$$(B^0, B_s) \rightarrow \mu^+ \mu^-$$



\approx SM rate

$$\text{LHCb} + \text{CMS: } \text{BR}(B_s \rightarrow \mu^+ \mu^-) = (2.9 \pm 0.7) \times 10^{-9}$$

The unreasonable effectiveness of the standard model

Electric dipole moment d_e

$$d_e < 8.7 \times 10^{-29} \text{ e} \cdot \text{cm}$$


ACME Collaboration, ThO

ATLAS SUSY Searches* - 95% CL Lower Limits

Status: SUSY 2013

ATLAS Preliminary

$$\int \mathcal{L} dt = (4.6 - 22.9) \text{ fb}^{-1} \quad \sqrt{s} = 7, 8 \text{ TeV}$$

*Only a selection of the available mass limits on new states or phenomena is shown. All limits quoted are observed minus 1σ theoretical signal cross section uncertainty.

WAGER ON SUPERSYMMETRY

for ten years ahead

QUESTION: Do you think that in ten years from now, that is by noon C.E.T. June 21st, 2010, at least one supersymmetric partner of any of the known particles will be experimentally discovered? [The term "discovered" means that it is universally recognized by the community, as judged by an independent committee of three wise men/ladies appointed by the sides.]

Please put your name (in block letters) accompanied by your signature in one of the three columns below, marked as "yes", "no" or "abstained".

By signing "yes" or "no" you promise to deliver a bottle (75cl) of good cognac at a price of not less than \$50, in case you are wrong.

By signing "abstained" you acknowledge that you either do not care, or have not thought about it, but still you'd like to be informed in the year 2010 who has been a prophet ten years ago, and to gain the right to sheepishly participate in drinking the cognac purchased by those who have honorably lost the bet.

Your signature in one of the first two columns entitles you to ask for a copy of the present agreement.

The party of winners organizes a meeting of all involved in this wager not later than in June 2011. At this meeting the cognac bought by the losers will be jointly consumed.


Yes, SUSY partners will be discovered	No, they won't	abstained
SEMENOFF <i>unh my</i> Kogan ** Om Andjon A.Tseytlin D.S. Berman Kinyang Lee	Peter Orland Petrov Heins FADDEEV A. M. G. 't Hooft *) C.C. Rossi K. Yoshida P.H. Damgaard E. Liritzis J. Miskauskius I. Klebanov M.A. Vasiliev-Moz C. Hofmann Eder Bach-Maken M. Dine	MAKEENKO Neuberger

(continue signatures on the other side, if necessary)

*) But each side will claim victory

**) But it may be not as exciting as if neither SUSY, nor
Higgs will be discovered.

Dark matter: direct searches



Dark matter searches and nucleon structure

Scale of SUSY expectations set by (spin-independent) σ

Neutralino WIMP: σ attributed to Higgs exchange

How does H interact with nucleon?


H coupling to heavy flavors: s, b, \dots

x 2-3 variation among lattice calculations

Experimental attention, perhaps theoretical reconception

A Unified Theory?


Why are atoms so remarkably neutral?




Coupling constant unification?

Extended quark–lepton families:
proton decay!


Unification of Forces?



Might LHC see the change in evolution?




Might LHC see the change in evolution?



Wonderful progress ...
... but miles to go:

Beam energy x 2
Luminosity x 100

Ratios of Parton Luminosities



Cf. Stirling



Issues for the Future (Now!)

1. What is the agent of EWSB? Is there a Higgs boson? Might there be several?
2. Is the Higgs boson elementary or composite? How does it interact with itself? What triggers EWSB?
3. Does the Higgs boson give mass to fermions, or only to the weak bosons? What sets the masses and mixings of the quarks and leptons? *(How) is fermion mass related to the electroweak scale?*
4. Are there new flavor symmetries that give insights into fermion masses and mixings?
5. What stabilizes the Higgs-boson mass below 1 TeV?

Issues for the Future (Now!)

6. Do the different CC behaviors of LH, RH fermions reflect a fundamental asymmetry in nature's laws?
7. What will be the next symmetry we recognize? Are there additional heavy gauge bosons? Is nature supersymmetric? Is EW theory contained in a GUT?
8. Are all flavor-changing interactions governed by the standard-model Yukawa couplings? Does “minimal flavor violation” hold? If so, why?
9. Are there additional sequential quark & lepton generations? Or new exotic (vector-like) fermions?
10. What resolves the strong CP problem?

Issues for the Future (Now!)

- I 1. What are the dark matters? Any flavor structure?
- I 2. Is EWSB an emergent phenomenon connected with strong dynamics? How would that alter our conception of unified theories of the strong, weak, and electromagnetic interactions?
- I 3. Is EWSB related to gravity through extra spacetime dimensions?
- I 4. What resolves the vacuum energy problem?
- I 5. (When we understand the origin of EWSB), what lessons does EWSB hold for unified theories? ... for inflation? ... for dark energy?

Issues for the Future (Now!)

- 16. What explains the baryon asymmetry of the universe? Are there new (CC) CP-violating phases?
- 17. Are there new flavor-preserving phases? What would observation, or more stringent limits, on electric-dipole moments imply for BSM theories?
- 18. (How) are quark-flavor dynamics and lepton-flavor dynamics related (beyond the gauge interactions)?
- 19. At what scale are the neutrino masses set? Do they speak to the TeV scale, unification scale, Planck scale, ...?
- 20. How are we prisoners of conventional thinking?